

INTEGRA



HERE'S WHY:

SPARTAN® CHASSIS

With more than 30 years' history of custom chassis manufacturing, Spartan gives us the industry's premier foundation.

EXCLUSIVE X-BRIDGE™ FRAME

It's what we add to the chassis that really sets us apart: Our exclusive X-Bridge frame adds even more floor strength and structural rigidity, eliminating chassis flex and twisting; with it, the suspension—not the chassis—absorbs road shock and vibration.

WOOD FLOOR CONSTRUCTION

Our six-layer wood floors are some of the industry's thickest—reducing energy transmission, noise and vibration.

TILE AROUND THE CABINETRY


We screw our cabinets directly to the wood floor and then tile around them; other manufacturers place cabinets on top of the tile, causing squeaks or cracking.

RESIDENTIAL-STYLE WALLS AND ROOF

Our roof combines crowned aluminum truss rafters on 16-inch centers with Flexfoil®, fiberglass insulation and %-inch plywood decking. Our walls, along with our front and rear caps, feature tucked-and-glued batting insulation—the same kind of fiberglass insulation found in sound-absorbing theater rooms.
















FEATURES: Outside entertainment center | Exterior freezer | Powered slideout storage

CORNERSTONE





FEATURES: Spacious bedroom with Tempur-Pedic* Cloud* Prima king-size mattress | Spacious kitchen with LED-lit, quartz countertops and flush-mounted induction cooktop




FEATURES: Porcelain-tiled shower and floor | Waste basket and sink-cover storage | Bathroom featuring LED-lit, quartz countertops with an integrated sink



Electric Blue




Topaz




Silica Sand



Emerald Green




Fire Red




Sunlit



Cayenne



45A





Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
45B	54,000	74,000	20,000	20,000	14,000	320"	44' 11"	155"	101"	84"	100	62	41
45J	54,000	74,000	20,000	20,000	14,000	320"	44' 11"	155"	101"	84"	100	62	41
45K	54,000	74,000	20,000	20,000	14,000	320"	44' 11"	155"	101"	84"	100	62	41
45A	54,000	74,000	20,000	20,000	14,000	320"	44' 11"	155"	101"	84"	100	62	41

STANDFORD














2. Leather Seating 1. Main

3. Coordinate

4. Bedspread

5. Bedroom Accent

6. Carpet

MOCHA













2. Leather Seating 1. Main

3. Coordinate

4. Bedspread

5. Bedroom Accent

6. Carpet

MIDNIGHT PEARL













2. Leather Seating 1. Main

3. Coordinate


4. Bedspread


5. Bedroom Accent

6. Carpet

WOOD









7. Main (a) Windsor Glazed Cherry | (b) Tuscan Glazed Cherry | (c) Natural Glazed Cherry

8. Wood (bath) Caramel Glazed Maple

STANDARD CHASSIS EQUIPMENT

Spartan® K3 raised-rail chassis

Cummins® 15-liter ISX turbocharged 600 HP engine, 1,950 lb. ft. torque at 1,200 RPM

Allison® 4,000 MH 6-speed transmission

1,500-watt engine block heater

Reyco® Granning® IFS independent front air suspension

Ridewell tag axle suspension

Hadley® air leveling system

Reyco Granning front axle 20,000-pound wide track

20.000-pound Meritor® rear axle: 14.000-pound tag axle

4.30 "Quiet-Gear" rear axle ratio

20,000-pound hitch with 7/4-pin plug

Tag axle air dump

Side-mounted radiator

All-wheel ABS brakes

Three-stage engine brake

Automatic traction control

Bilstein® shocks: 60mm in front and 46mm on rear tag

150-gallon fuel tank (dual fill)

15-gallon DEF tank with easy-fill door

Michelin® 365/70R 22.5-inch tires (front) and 315/80R 22.5-inch tires (rear)

55-degree turning radius

Chassis batteries (2)

210-amp alternator

Remote air connection

STANDARD CONSTRUCTION FEATURES

X-Bridge[™] frames welded into chassis frame

Enclosed, insulated and heated floor and thermostat-controlled heating in storage area Insulation with reflective Flexfoil® floor (R-33), roof (R-24), sidewalls (R-16), front and rear caps (R-22)

2-inch x 4-inch floor truss construction

3/4-inch, 7-ply plywood main floor decking

Aluma-Tru Superstructure construction on 12-inch - 16-inch centers

2 ½-inch exterior wall with welded tubular aluminum construction and high-gloss, Gelcoat fiberglass

Flush-mounted electric-powered slideout rooms with remote control

One-piece fiberglass roof with $\%\mbox{-inch}$ plywood decking and 4-inch arched

aluminum roof truss

Steel-reinforced front cap and windshield frame

HEAT, A/C, POWER AND WATER EQUIPMENT

Aqua-Hot® 450 diesel hydronic water and heating system with in-floor heat throughout 15,000-BTU low-profile A/C units (3) with heat pump, digital thermostat and roof-to-ground condensation drain tubes

50-amp power cord with electric reel

Onan® 12,500-watt diesel generator with auto-gen start on powered slideout tray

2,800-watt and 2,000-watt pure sine wave inverter

6V glass mat batteries on sliding tray (8)

Surge protector transfer switch

Water hose with electric reel

Black holding tank sprayer

Macerator holding tank dump system with electric gate valves

SeeLevel[™] tank monitoring system

City and tank water filtration system

Winterizing drain system

STANDARD EXTERIOR EQUIPMENT

3M® front protective film mask

LED high-beam headlights and Xenon® low-beam headlights

LED fog lights

Daytime running lights

LED marker and turn lights the full length of the coach

LED docking lights

LED accent lights on underside of slideout rooms curbside

Lighted grab handle with keypad system

Keyless entry with key fob

Electric-powered, double-step entrance

Aire-Secure[™] travel locks for all pocket doors

Girard® power entrance door awning with LED lights

Girard Ultra window shade awning and Ultra slideout awnings

Roof-mounted Girard Vision dual-pitched patio awning with LED lights

Chrome, heated, remote control, side-view mirrors with integrated cameras

Frameless, tinted, dual-pane, safety-glass windows

Exterior 40-inch Samsung® LED HDTV on TV bracket with extend and swivel arm and JBL® multimedia stereo receiver with Bluetooth® audio streaming

Exterior utility center, heated and enclosed with system monitor panel

Powered slideout cargo travs (2)

Winegard® in-motion satellite dome with prep for Trav'ler® satellite dish

Winegard Rayzar®-powered TV antenna

Power rear engine door Full-width rear mudflan

COCKPIT AMENITIES

Powered flush stepwell cover

MCD powered front sun visors and privacy shade

Ultra-Vision® one-piece, wraparound, tinted windshield

8-way power, lumbar, heated, leather driver and passenger seats with integrated

3-point lap and shoulder safety belts VIP soft-touch, wood-grain, leather-wrapped, tilt and telescoping steering wheel

VIP soft-touch, wood-grain, leather-wrapped, tilt and telescoping steering whee with integrated controls for radio, cruise and wipers

Spartan Message Center with LCD display featuring: odometer, tachometer, fuel economy, fuel remaining, outside air temperature, coolant temperature, engine oil temperature and pressure, transmission temperature, turbo boost pressure, air pressure, trip meter, speed, and voltage

Infotainment center with touch screen, Rand-McNally™ GPS navigation, Bluetooth, SiriusXM™ radio and tuner

JBL premium audio sound system with speakers, amplifier and subwoofer Hydraulic automatic leveling jack system

Battery boost system

Powered adjustable foot pedals

Color backup camera and monitor system with side- and rear-view cameras

TripTek™ Information Center

STANDARD INTERIOR EQUIPMENT

Multiplex controlled lighting system

LED recessed 12V lighting

High-gloss 12-inch x 24-inch porcelain tile with granite inlay design

Powered MCD solar day and blackout night shades

Samsung 50-inch 4K UHDTV (45B, 45A)

Samsung 48-inch 4K UHDTV (45J, 45K)

Samsung 32-inch LED HDTV in front overhead

Samsung 32-inch LED HDTV in bedroom

Bose® CineMate® 130 home theater system in living area

Bose Solo 15 sound bar in bedroom

Leather hide-a-bed(s)

Stackable washer and dryer

Central vacuum system

LED-lit electric fireplace

STANDARD KITCHEN EQUIPMENT

LED-lit quartz countertops with integrated stainless steel sink

Pullout cabinet extension with countertop

Cutting board

Silverware drawer

Large, deep drawer with waste basket

Dishwasher

Flush-mounted induction cooktop

Samsung 1.7-cubic-foot convection microwave oven

Samsung residential 23-cubic-foot refrigerator with ice maker and water dispenser

STANDARD BEDROOM EQUIPMENT

Tempur-Pedic® Cloud® Prima king-size mattress

Ceiling fan

Large cedar-lined wardrobe

STANDARD BATHROOM FOLIPMENT

LED-lit guartz countertops with integrated sink(s)

Porcelain toilet

Frameless glass shower door

Porcelain-tiled shower walls and floor with skylight

Power vent

STANDARD SAFETY EQUIPMENT

Security system with glass shatter sensors

Motion-sensor security lights (2)

Smoke alarm

Carbon monoxide alarm

Security safe

OPTIONS

Canadian Standards

Free-standing table with 4 chairs, hide-a-bed, sofa lounger curbside (45J and 45K)

L-sofa lounger and hide-a-bed (45B)

100-inch sofa with incliner and hide-a-bed (45B)

Desk with Televator® (45A)

Vegatouch iPad® Control Center

Winegard Trav'ler satellite dish - DIRECTV®

Winegard Trav'ler satellite dish - Shaw Direct Solar panels (dual 100-watt) with Morningstar® SunSaver™ Duo solar panel

charge controller

2.8-cubic-foot exterior freezer with slideout tray









FEATURES: Girard* Vision dual-pitched patio awning with LED lights | Power rear engine door

ANTHEM










FEATURES: Spacious kitchen featuring solid-surface countertops with LED accent lights and flush-mounted induction cooktop | Dishwasher | Cockpit featuring Spartan® message center, infotainment center and JBL® premium audio sound system | Tempur-Pedic® Cloud® Prima king-size mattress





FEATURES: Spacious bedroom with ceiling fan | Bathroom featuring solid-surface countertops with LED accent lights and an integrated sink



Beachstone



Firestorm



Mint Delight




Victory Blue




Gold Ribbon



Rich Chocolate





Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
42DEQ	49,000	64,000	17,000	20,000	12,000	296"	43' 1"	151"	101"	84"	100	62	41
42RBQ	49,000	64,000	17,000	20,000	12,000	296"	43' 1"	153"	101"	84"	100	62	41
44B	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	150"	101"	84"	100	62	41
44DLQ	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	153"	101"	84"	100	62	41
44A	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	153"	101"	84"	100	62	41


AMBIENCE













1. Main 2. Ultraleather Seating 3. Coordinate 4. Bedspread 5. Bedroom Accent 6. Carpet

MAJESTIC













1. Main 2. Ultraleather Seating 3. Coordinate 4. Bedspread 5. Bedroom Accent 6. Carpet

MELANCHOLY













1. Main 2. Ultraleather Seating 3. Coordinate 4. Bedspread 5. Bedroom Accent 6. Carpet

BUTTERSCOTCH













1. Main 2. Ultraleather Seating 3. Coordinate 4. Bedspread 5. Bedroom Accent 6. Carpet

WOOD









7. Main (a) Windsor Glazed Cherry | (b) Tuscan Glazed Cherry | (c) Natural Glazed Cherry 8. Wood (bath) Caramel Glazed Maple (excludes 42RBQ)

STANDARD CHASSIS EQUIPMENT

Spartan® Mountain Master raised-rail chassis

Cummins® ISL turbocharged 450 HP engine, 1,250 lb. ft. torque at 1,400 RPM

Allison® 3.000 MH 6-speed transmission

1,000-watt engine block heater

Reyco® Granning® IFS independent front air suspension

Hendrickson® rear air suspension

Reyco Granning front axle 17,000-pound wide track

20.000-pound rear axle. 12.000-pound tag axle

4.88 "Quiet-Gear" rear axle ratio

15.000-pound hitch with 7/4-pin plug

Tag axle air dump

Side-mounted radiator

ABS brakes on front and drive axle/drum brakes on tag axle

Two-stage engine brake

Automatic traction control

Bilstein® shocks

150-gallon fuel tank (dual fill)

15-gallon DEF tank with easy-fill door

Michelin® 315/80R 22.5-inch tires (front) and 295/80R 22.5-inch tires (rear)

55-degree turning radius Chassis batteries (2)

170-amp alternator

Remote air connection

STANDARD CONSTRUCTION FEATURES

X-Bridge[™] frames welded into chassis frame

Enclosed, insulated and heated floor and thermostat-controlled heating in storage area Insulation with reflective Flexfoil® floor (R-33), roof (R-24), sidewalls (R-16), front and rear caps (R-22)

2-inch x 4-inch floor truss construction

3/4-inch, 7-ply plywood main floor decking

Aluma-Tru Superstructure construction on 12-inch - 16-inch centers

2 ½-inch exterior wall with welded tubular aluminum construction and high-gloss, Gelcoat fiberglass

Flush-mounted electric-powered slideout rooms with remote control

One-piece fiberglass roof with %-inch plywood decking and 4-inch arched aluminum roof truss Steel-reinforced front cap and windshield frame

HEAT, A/C, POWER AND WATER EQUIPMENT

Aqua-Hot[®] 450 diesel hydronic water and heating system with in-floor heat throughout 15,000-BTU low-profile A/C units (3) with heat pump, digital thermostats and roof-to-ground condensation drain tubes

50-amp power cord with electric reel

Onan® 12,500-watt diesel generator with auto-gen start on powered slideout tray

2,800-watt and 2,000-watt pure sine wave inverter

6V glass mat batteries on sliding tray (8)

Surge protector transfer switch

Water hose with electric reel

Black holding tank sprayer

Macerator holding tank dump system with electric gate valves

SeeLevel[™] tank monitoring system

City and tank water filtration system

Winterizing drain system

STANDARD EXTERIOR EQUIPMENT

3M® front protective film mask

LED high-beam headlights and Xenon® low-beam headlights

LED fog lights

Daytime running lights

LED marker and turn lights the full length of the coach

LED docking lights

LED accent lights on underside of slideout rooms curbside

Lighted grab handle with keypad system

Keyless entry with key fob

Aire-Secure[™] travel locks for all pocket doors

Girard® power entrance door awning with LED lights

Girard Ultra window shade awning and Ultra slideout awnings

Roof-mounted Girard Vision dual-pitched patio awning with LED lights Chrome, heated, remote control, side-view mirrors with integrated cameras

Frameless, tinted, dual-pane, safety-glass windows

Exterior 40-inch Samsung $^{\! \otimes}$ LED HDTV on TV bracket with extend and swivel arm and

JBL® multimedia stereo receiver with Bluetooth® audio streaming Exterior utility center, heated and enclosed with system monitor panel

Manual slideout cargo tray

Winegard® in-motion, dome, roof-mounted satellite dish with prep for Trav'ler® satellite dish

Winegard Rayzar®-powered TV antenna

Power rear engine door Full-width rear mudflap

COCKPIT AMENITIES

Powered flush stepwell cover

MCD powered front sun visors and privacy shade

Ultra-Vision® one-piece, wraparound, tinted windshield

 $\ensuremath{\mathrm{8}\text{-}\mathrm{way}}$ power, lumbar, ultraleather driver and passenger seats with integrated

3-point lap and shoulder safety belts

VIP soft-touch, wood-grain, leather-wrapped, tilt and telescoping steering wheel with

integrated controls for radio, cruise and wipers

Spartan Message Center with LCD display featuring: odometer, tachometer, fuel economy, fuel remaining, outside air temperature, coolant temperature, engine oil temperature

and pressure, transmission temperature, turbo boost pressure, air pressure, trip meter, speed, and voltage

Infotainment center with touch screen, Rand-McNally™ GPS navigation, Bluetooth, SiriusXM™ radio and tuner

JBL premium audio sound system with speakers, amplifier and subwoofer

Hydraulic automatic leveling jack system

Battery boost system

Powered adjustable foot pedals

Color backup camera and monitor system with side- and rear-view cameras

STANDARD INTERIOR EQUIPMENT

Multiplex controlled lighting system

LED recessed 12V lighting

High-gloss 12-inch x 24-inch porcelain tile floor

Powered MCD solar day and blackout night shades

Samsung 50-inch 4K UHDTV (42DEQ, 44B, 44A)

Samsung 48-inch 4K UHDTV (44DLQ, 42RBQ)

Samsung 32-inch LED HDTV in front overhead

Samsung 32-inch LED HDTV in bedroom

Bose® CineMate® 130 home theater system in living area

Bose Solo 15 sound bar in bedroom

Ultraleather hide-a-bed(s)

Stackable washer and drver

Central vacuum system

LED-lit electric fireplace

STANDARD KITCHEN EQUIPMENT

LED-lit, solid-surface countertops with stainless steel sink

Pullout cabinet extension with countertop

Porcelain tile backsplash with glass design inlays

Cutting board

Silverware drawer

Large, deep drawer with waste basket

Dishwasher

Flush-mounted induction cooktop

Samsung 1.7-cubic-foot convection microwave oven

Samsung residential 23-cubic-foot refrigerator with ice maker and water dispenser

STANDARD BEDROOM EQUIPMENT

Tempur-Pedic® Cloud® Prima king-size mattress

Ceiling fan

Large cedar-lined wardrobe

STANDARD BATHROOM EQUIPMENT

LED-lit, solid-surface countertop(s) with integrated sink

Porcelain toilet

Porcelain-tiled shower with skylight

Power vent

STANDARD SAFETY EQUIPMENT

Security system with glass shatter sensors

Motion-sensor security lights (2)

Smoke alarm

Carbon monixide alarm

Security safe

OPTIONS

Canadian Standards

Free-standing table with 4 chairs, hide-a-bed, sofa lounger curbside (n/a with standard curbside hide-a-bed sofa) (42RBQ, 44DLQ)

100-inch sofa with incliner and hide-a-bed (42DEQ, 44B)

Vegatouch iPad® control center

Winegard Trav'ler satellite dish - DIRECTV®

Winegard Tray'ler satellite dish - Shaw Direct

Solar panels (dual 100-watt) with Morningstar® SunSaver™ Duo solar panel charge controller

2.8-cubic-foot exterior freezer with slideout tray

Desk with Televator® lift (44A)









FEATURES: Cockpit featuring Spartan® message center, infotainment center and JBL® premium audio sound system | Solar day and blackout night shades

ASPIRE





FEATURES: Bathroom featuring solid-surface countertops with LED accent lights and an integrated sink | Spacious bedroom with ceiling fan









FEATURES: Spacious kitchen featuring solid-surface countertops with LED accent lights and flush-mounted induction cooktop | Silverware drawer | Chrome overhead slideout baskets | Pull-out counter extension and deep sliding drawers



Sweet Victory



Bronze Metal



Golden Tan



Windswept



Anniversary Gold



California Chrome



Spring Green





Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
38M	38,600	53,600	14,600	24,000	N/A	261"	40' 6"	152"	101"	84"	100	62	41
40P	38,600	53,600	14,600	24,000	N/A	261"	40' 6"	152"	101"	84"	100	62	41
42DEQ	47,660	62,660	15,660	20,000	12,000	296"	43' 2"	152"	101"	84"	100	62	41
42RBQ	47,660	62,660	15,660	20,000	12,000	296"	43' 2"	152"	101"	84"	100	62	41
44B	47,660	62,660	15,600	20,000	12,000	320"	44' 11"	152"	101"	84"	100	62	41
44R	47,660	62,660	15,600	20,000	12,000	320"	44' 11"	152"	101"	84"	100	62	41
44U	47,660	62,660	15,660	20,000	12,000	320"	44' 11"	152"	101"	84"	100	62	41

BAHAMA WIND













1. Main 2. Ultraleather Seating 3. Coordinate 4. Bedspread 5. Bedroom Accent 6. Carpet

SILVER CLOUD













1. Main 2. Ultraleather Seating 3. Coordinate 4. Bedspread 5. Bedroom Accent 6. Carpet

ISLAND PEARL













1. Main 2. Ultraleather Seating 3. Coordinate 4. Bedspread 5. Bedroom Accent 6. Carpet

BUTTERCUP













1. Main 2. Ultraleather Seating 3. Coordinate 4. Bedspread 5. Bedroom Accent 6. Carpet

WOOD









7. Main (a) Windsor Glazed Cherry (b) Tuscan Glazed Cherry (c) Natural Glazed Cherry 8. Wood (bath) Caramel Glazed Maple (excludes 38M, 40P, 44R)

STANDARD CHASSIS EQUIPMENT

Spartan® Mountain Master raised-rail chassis

Cummins® ISL turbocharged 450 HP engine, 1,250 lb. ft. torque at 1,400 RPM

Allison® 3,000 MH 6-speed transmission

1,000-watt engine block heater

Front axle I-beam 15,660-pound wide track

20,000-pound rear axle, 12,000-pound tag axle

4.88 "Quiet-Gear" rear axle ratio

15.000-pound hitch with 7/4-pin plug

Tag axle air dump

Side-mounted radiator

ABS brakes on front and drive axle/drum brakes on tag axle

Two-stage engine brake

Bilstein® shocks

100-gallon fuel tank (dual fill)

15-gallon DEF tank with easy-fill door

Goodyear® G670 295/80R 22.5-inch tires (front) and G670 275/80R 22.5-inch tires (rear)

Chassis batteries (2)

170-amp alternator

Remote air connection

STANDARD CONSTRUCTION FEATURES

X-Bridge[™] frames welded into chassis frame

Enclosed, insulated and heated floor and thermostat-controlled heating in storage area Insulation with reflective Flexfoil® floor (R-33), roof (R-24), sidewalls (R-16), front and rear caps (R-22)

2-inch x 4-inch floor truss construction

3/4-inch, 7-ply plywood main floor decking

Aluma-Tru Superstructure construction on 12-inch - 16-inch centers

2 ½-inch exterior wall with welded tubular aluminum construction and high-gloss, Gelcoat fiberglass

Flush-mounted electric-powered slideout rooms with remote control

One-piece fiberglass roof with %-inch plywood decking and 4-inch arched aluminum roof truss Steel-reinforced front cap and windshield frame

HEAT, A/C, POWER AND WATER EQUIPMENT

50-gallon propane gas tank

Aqua-Hot® 400-LP hydronic water and heating system with in-floor heat throughout 15,000-BTU low-profile A/C units with heat pump, digital thermostat and roof-to-ground condensation drain tubes

50-amp power cord with electric reel

Onan® 10,000-watt diesel generator with auto-gen start on slideout tray

2,800-watt pure sine wave inverter

6V batteries on sliding tray (4)

Solar power prep

Water hose with electric reel

Black holding tank sprayer

Macerator holding tank dump system with electric gate valves

SeeLevel[™] tank monitoring system

City and tank water filtration system

Winterizing drain system

STANDARD EXTERIOR EQUIPMENT

3M® front protective film mask

LED high-beam headlights and Xenon® low-beam headlights

LED fog lights

Daytime running lights

LED marker and turn lights the full length of the coach

LED docking lights

LED accent lights on underside of slideout rooms curbside

Lighted grab handle with keypad system

Keyless entry with key fob

Aire-Secure[™] travel locks for all pocket doors

Girard® power patio awning with LED lights

Girard power entrance door awning with LED lights

Girard Ultra window shade awning and Ultra slideout awnings

Chrome, heated, remote control, side-view mirrors with integrated cameras

Frameless, dual-pane, tinted, safety-glass windows

Exterior 40-inch Samsung® LED HDTV on TV bracket with extend and swivel arm and

JBL® multimedia stereo receiver with Bluetooth® audio streaming Exterior utility center, heated and enclosed with system monitor panel

Winegard® in-motion satellite dome with prep for Trav'ler® satellite dish

TV antenna

Power rear engine door

Full-width rear mudflap

COCKPIT AMENITIES

Powered flush stepwell cover

MCD powered front sun visors and privacy shade

Ultra-Vision® one-piece, wraparound, tinted windshield

Ultraleather, power adjustable driver and passenger seats with integrated 3-point lap and shoulder safety belts

VIP leather-wrapped, tilt and telescoping steering wheel with integrated controls for cruise and wipers

Spartan Message Center with LCD display featuring: odometer, tachometer, fuel economy, fuel remaining, outside air temperature, coolant temperature, engine oil temperature and pressure, transmission temperature, turbo boost pressure, air pressure, trip meter, speed, and voltage

Infotainment center with touch screen, Rand-McNally™ GPS navigation, Bluetooth,

SiriusXM™ radio and tuner

JBL premium audio sound system with speakers, amplifier and subwoofer

Hydraulic automatic leveling jack system

Battery boost system

Powered adjustable foot pedals

Color backup camera and monitor system with side- and rear-view cameras

STANDARD INTERIOR EQUIPMENT

Multiplex controlled lighting system

LED recessed 12V lighting

12-inch x 24-inch porcelain tile floor

Manual MCD solar day and blackout night shades

Samsung 50-inch LED HDTV (44B, 42DEQ)

Samsung 48-inch LED HDTV (42RBQ, 44R, 44U)

Samsung 40-inch LED HDTV in front overhead (40P)

Samsung 32-inch LED HD TV in front overhead

Samsung 32-inch LED HDTV in bedroom

Samsung sound bars (2)

Ultraleather hide-a-bed sofa(s)

Stackable washer and dryer

Central vacuum system

STANDARD KITCHEN EQUIPMENT

LED-lit, solid-surface countertops with stainless steel sink

Pullout cabinet extension with countertop

Silverware drawer

Large, deep drawer with waste basket

Flush-mounted induction cooktop

Samsung 1.7-cubic-foot convection microwave oven

Samsung residential 23-cubic-foot refrigerator with ice maker and water dispenser

STANDARD BEDROOM EQUIPMENT

King-sized Denver Mattress®

Ceiling fan

STANDARD BATHROOM EQUIPMENT

LED-lit, solid-surface countertop(s) with integrated sink

Porcelain toilet

One-piece fiberglass shower with skylight

Power vent

STANDARD SAFETY EQUIPMENT

Security system with glass shatter sensors

Motion-sensor security lights (2)

Smoke alarm

Carbon monoxide detector

Propane alarm Security safe

OPTIONS

Canadian Standards

LED-lit electric fireplace (n/a 40P, 44R)

Dishwasher

Free-standing table with 4 chairs, hide-a-bed, sofa lounger curbside (n/a with standard curbside hide-a-bed sofa) (40P. 42RBQ)

100-inch sofa with incliner and hide-a-bed (42DEQ, 44B, 44U)

122-inch sofa with incliner and hide-a-bed (38M) Winegard Trav'ler satellite dish - DIRECTV®

Winegard Trav'ler satellite dish - Shaw Direct

Slideout storage tray

THE ENTEGRA COACH DIFFERENCE: SUPERIOR ENGINEERING, UNMATCHED CONSTRUCTION



10. SUR-SEAL ENTRY DOOR LOCK features a complete-seal mechanism to prevent whistling

ENTEGRA COACH COVERAGE

Our family is proud to stand behind every luxury coach we build. That's why we offer bumper-to-bumper coverage for the first two years, or the first 24,000 miles of use (whichever comes first), plus five years of structural integrity coverage. You'll also enjoy our roadside assistance program—courtesy of Coach-NetTM, the country's largest RV emergency road service—free for the first three years of ownership.

THE BONTRAGER FAMILY PROMISE

Lloyd Bontrager taught our family the power of the Golden Rule. For him, it meant that you always treat others the way you want to be treated. And it was a rule—not a suggestion. He not only ran his business this way; it's how he lived his life. And it's how we try to live ours—by being honest, reliable, accessible, responsive and thorough in everything we do.



WHY ENTEGRA COACH?

What drives you? For us, it's—well, the drive itself. The pursuit of a superior luxury coach. Unmatched engineering innovation. Rock-solid construction. And a ride that's as smooth and quiet as it is invigorating and well-appointed.

We build our luxury coaches one at a time—with unrelenting attention to detail and old-world craftsmanship. Then we back them with personalized customer service and coverage that is unmatched in the industry. So from the moment you drive off the lot, you're not only an owner—you're a member of the family.









ENTEGRA COACH, INC., P.O. BOX 460, MIDDLEBURY, IN 46540 WWW.ENTEGRACOACH.COM

See dealer for further information and pricing. All information in this brochure is the latest available at the time of publication. Entegra Coach reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes only. Video screens and monitors are simulated. RVs built for sale in Canada may differ to conform to Canadian Codes. ©2015 Entegra Coach, Inc. 30K Printed in U.S.A. 9/15.

Corner-rone

Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motor coach, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. Gross Axle Weight Rating (GAWR): The maximum allowable weight each axle assembly is designed to carry, as measured at the tires, therefore including the weight of the axle assembly itself. Gross Combined Weight Rating (GCWR): The maximum allowable combined weight of the motor coach used as a tow vehicle and the attached towed vehicle.