# SUISEEKER BY FOREST RIVER









Shown in Truffle Decor with optional Rustic Cherry cabinetry



Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Sunseeker comfortable and loads of fun. Sunseeker's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Sunseekers are "Certified Green" by TRA Certification.

### CLASS C TOP FEATURES

- 7' Ceiling height
- Crowned fiberglass roof
- Trekker front cap option
- 2" Thick gel coat sidewalls with lightweight composite waterproof material
- Firestone Ride-Rite<sup>™</sup> suspension
- Heated enclosed tanks
- Water filtration system
- 7,500 Lb. tow rating (Ford only)
- Two Cab-over windows (Bunk area)
- Premium residential appliances with 1.3 cu. ft. microwave
- 40" 12V LED TV
- Standard side view and back-up cameras
- Waste Master® RV sewer management system







This outdoor camp kitchen is standard on 2860DS.



Shown in Latte Decor with optional Rustic Cherry cabinetry









# **OXFORD** Full body paint

# **TOPAZ** Full body paint

**STANDARD Exterior** 

Sunseeker Ford • Chevy Chassis	2290S	2420MS	2500TS	2860DS	3010DS	3050S	3270S
Wheelbase	158" • 159"	182"	182" • 183"	202" • 203"	220"	220"	220"
GVWR	14500 • 14200	14500	14500 • 14200	14500 • 14200	14500	14500	14500
GAWRR	9600 • 9600	9600	9600 • 9600	9600 • 9600	9600	9600	9600
GAWRF	5000 • 4600	5000	5000 • 4600	5000 • 4600	5000	5000	5000
UVW	10624 • 10452	11593	11721 • 11500	12300 • 12400	12400	12848	12838
GCWR	22000 • 20000	22000	22000 • 20000	22000 • 20000	22000	22000	22000
CCC	3876 • 3748	2907	2779 • 2700	2200 • 1800	2100	1652	1662
Fuel Capacity (Gal.)	55 • 57	55	55 • 57	55 • 57	55	55	55
Hitch Rating	7500/500 • 5000/500	7500/500	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500	7500/500
Length - Bumper To Bumper	24' - 6" • 25'	27' - 1"	27' - 1" • 27' - 7"	30' - 9" • 31' - 3"	32' - 3	31' - 11"	31' - 11"
Exterior Height With A/C	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11'-3"
Exterior Width	101"	101"	101"	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal.)	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal.)	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Awning Length	15' - 6"	18'	18'	14'	15' - 6"	18'	16'
Water Heater (Gal.)	6	6	6	6	6	6	6
Exterior Storage (Cu. Ft.)	61	50	50	62.5	101.7	81.8	81.8

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fluids and LP

Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\*Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

# SUNSEEK CONSTRUCTION

Multi-Layered Laminated Roof System

- 1. Crowned Fiberglass Roof
- 2. Luan Decking
- 3. Block Foam Insulation
- 4. A/C Ducts
- 5. Tubular Aluminum Framing
- 6. Interior Ceiling Material

#### Vacuum-Bond **Laminated Sidewalls**

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- 9. EGS Metal Backers
- 10. Block Foam Insulation
- 11. Opening Framed In Aluminum
- 12. Lightweight Composite Waterproof Material
- 13. Gelcoat Fiberglass Exterior

#### Vacuum-Bond **Laminated Floor System**

- 14. Fiberglass Bottom Board
- 15. Block Foam Insulation
- 16. Seamless Floor Decking
- 17. Resilient Shaw Floors Throughout
- 18. Aluminum Framing



LARGE WINDOWS WITH **BLACK-OUT ROLLER SHADES** Large panoramic windows for plenty of fresh air and natural light.



**LED LIGHTING** LED lights generate almost no heat compared to incandescent lights and use substantially less power.



RESIDENTIAL STYLE CABINETRY Sunseeker is appointed with ball bearing drawer glides and rich hardwood cabinetry.



**USB CHARGING STATION** 12V 4-port USB charging station (Living room/bedroom)



ATWOOD FULLY DUCTED AIR All floorplans are ducted for high performance air flow throughout the coach and front cabover.



**ENCLOSED BATTERIES** Two batteries in a single housing for easy access. (One battery LE and Transit)



**MEMORY FOAM** Memory foam mattress will ensure a good night's sleep.



CAB OVER BUNK SAFETY NET The overhead bunk is rated for 440 lbs.



KING JACK ANTENNA This HD digitally amplified antenna enhances reception.



**FIBERGLASS ROOF** Durable, easy to clean (R-18) crowned fiberglass sheds water and doesn't cause black streaks like a rubber roof.



**HEATED/ENCLOSED HOLDING TANKS** Heated/enclosed utility station uses warm air from the furnace to protect tanks and valves. (N/A 2250 SLE, MBS and Transit)



WATER FILTRATION This compact unit filters water for the entire coach, eliminating those unwanted contaminants and odors. ensuring safe drinking water for you and your family. (N/A LE)

## INTERACTIVE MOBILE MANUALS

Download our mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible

ease and insight into use, maintenance and enjoyment of your Sunseeker product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or GooglePlay!



SEAMLESS FRONT CAP For enhanced aerodynamics



**WASTE MASTER SEWAGE** MANAGEMENT SYSTEM Rugged for quick, easy and sanitary waste disposal. (N/A LE, MBS and Transit)



**SOLAR PREP** 



**OUTSIDE SPEAKERS** 



WINTERIZING TUBE Easy access for quick maintenance includes bypass valve.



INTEGRATED STEP Sunseeker's entry step is integrated into the sidewall. No more slippery, or damaged power steps. (N/A MBS)



THEATER STYLE SEATING Comfortable sofa with footrests, folding armrests and drink tray converts to a convenient sleeping area.



POWER AWNING WITH LED STRIP Extend and retract your awning with the push of a button. Both arms are adjustable to get just the right angle.

TRADITIONAL

WATER HEATER



STEREO SYSTEM Pairs up with your smart phone to access GPS and other applications. (N/A on Transit or LE)



WHOLE HOUSE ENTERTAINMENT This multimedia system features AM/FM/DVD, Bluetooth, plus outside speaker control.



RESILIEN<sup>-</sup>

& Waterproof

**MAXX AIR FAN** Recirculates air throughout the entire coach.





7,500 LB. TOW CAPACITY

Ford E450



ATWOOD WATER HEATER Atwood 18 GPH water heaters (6 gallon tank) out perform traditional 10 and 12 gallon tank water heaters. They're also 50% lighter and have no anode rod to replace.



This holding tank odors and gases





SUNSEEKER 2" Wall with Block Foam and Superlite (R-10)



#### SUPER LITE WALLS All models use SuperLite composite instead of a wood substrate on the sidewalls. It is lightweight, formaldehyde free and is not affected by moisture.







Sunseeker LE Series is the industry's best value on the market today! Enjoy years of carefree travel with these well-built Class Cs.



2350LE







LE Series Kid's sofa sleeper with flip-down bunk

Shown in Latte Decor with optional Rustic Cherry cabinetry

	Ford · Chevy	2250SLE	2350LE	2850SLE	3250DSLE
	Wheelbase	158" • 159"	158" • 159"	220"	220"
	GVWR	14500 • 14200	14500 • 14200	14500	14500
	GAWRR	9600 • 9600	8500 • 9600	9600	9600
	GAWRF	5000 • 4600	4600 • 4600	5000	5000
	UVW	9660 • 9640	9950 • 9890	11742	12500
	GCWR	22000 • 20000	18500 • 20000	22000	22000
	CCC	2840 • 4560	2550 • 4310	2758	2000
	Fuel Capacity (Gal)	55 • 57	55 • 57	55	55
	Hitch Rating	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500
	Length - Bumper To Bumper	23' - 10" • 24' - 4"	24' - 6" • 25' - 4"	31' - 5" • NA	32' - 3"
	Exterior Height With A/C	11' - 3''	11' - 3"	11' - 3"	11' - 3"
Exterior Width		101"	101"	101"	101"
	Interior Width	95.5"	95.5"	95.5"	95.5"
	Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"
	Fresh/Grey/Black Water (Gal)	35/32/27	44/39/39	44/39/39	44/39/39
	L.P. Capacity (Gal)	9.8	9.8	9.8	9.8
	Awning Length	14'	15' - 6''	15' - 6''	11'
	Water Heater (Gal)	6	6	6	6
	Exterior Storage (Cu. Ft.)	32	61	102	80








# GRAND TOURING SERIES





The streamlined GTS is the perfect vehicle for the ultimate getaway.



Sunseeker GTS	2800QS
Wheelbase	212"
GVWR	14500
GAWRR	9600
GAWRF	5000
UVW	11596
GCWR	22000
CCC	2904
Fuel Capacity (Gal)	55
Hitch Rating	7500/500
Length - Bumper to Bumper	30' - 4"
Exterior Height with A/C	10' - 8"
Exterior Width	97"
Interior Width	91"
Interior Height Front/Rear	81"/75.5"
Fresh/Grey/Black Water (Gal)	43/42/28
L.P. Capacity (Gal)	9.8
Awning Length	18'
Water Heater (Gal)	6
Exterior Storage (Cu. Ft.)	73

Shown in Pewter Decor with Rustic Cherry cabinetry.

SUNSEEKER WBS MERCEDES - BENZ® SERIES
The quality you've come to expect pairs

The quality you've come to expect, paired with a fuel efficient diesel platform.



	OI HOR	\$0FA 2400R, 2400S, 2400W 2 4 0 0 R	
Z		OHC OHC STORAGE  STORAGE  STORAGE	
	QUEEN BED 60" x 75"	54" x 80" BUNK MAT OR OPT. ENT. CENTER	
	WARD	WARD REFER MIGRO CHOP & LED TV	
		10H ORT OUTSIDE TV	

c I was	24000	24222	2400111
Sunseeker MBS	2400R	2400S	2400W
Wheelbase	170.3	170.3	170.3
GVWR	11030	11030	11030
GAWRR	7720	7720	7720
GAWRF	4080	4080	4080
UVW	9852	9700	9924
GCWR	15250	15250	15250
CCC	1178	1330	1106
Fuel Capacity (Gal)	26.4	26.4	26.4
Hitch Rating	4200/350	4200/350	4200/350
Length - Bumper To Bumper	24' - 11"	24' - 8"	24 '- 11"
Exterior Height With A/C	11' - 3"	11' -3"	11' - 3"
Exterior Width	94.5"	94.5"	94.5"
Interior Width	91"	91"	91"
Interior Height Frt/Rear	81"/74"	81"/74"	81"
Fresh/Grey/Black Water (Gal)	35/30/30	35/33/33	35/32/32
L.P. Capacity (Gal)	16.6	16.6	16.6
Awning Length	16'	15'- 6"	15'- 6"
Water Heater (Gal)	6	6	6
Exterior Storage (Cu. Ft.)	75	67	50.3

#### **BLUETEC DIESEL ENGINE**

BlueTec SCR Technology is one of the world's cleanest diesel engines, delivering more power, while producing fewer emissions. The 3.0l V-6 engine boasts 188 hp and 325 lb-ft of rated torque.





Optional low profile Trekker cap is accented with LED light strips.

Standard swivel seats and booster cushions.





Shown in Pewter Decor with optional Weathered Teak cabinetry.









# TRANSIT SERIES


Ultra-Light weight and fuel efficient.





TS2370

materials.



TS2390



Sunseeker TS	TS2370	TS2390
Wheelbase	178"	178"
GVWR	10360	10360
UVW	8706	8050
GCWR	13500	13500
CCC	1654	2310
Fuel Capacity (Gal.)	25	25
Hitch Rating (Lb.)	0	0
Length - Bumper to Bumper	26' - 1"	25' - 6"
Exterior Height with A/C	10' - 5"	10' - 5"
Exterior Width	87"	87"
Interior Width	84"	84"
Interior Height Front/Rear	78"	78"
Fresh/Grey/Black Water (Gal.)	35/30/28	35/30/30
L.P. Capacity (Gal.)	9.8	9.8
Awning Length	15'	15'
Exterior Storage (Cu. Ft.)	30.5	38
Seat Belts	4	4

Transit Series is available in Charcoal decor only.





CC CTC MDC LE TC

3 2700000000								
WARRANTY	SS		MBS	LE	TS			
12 Months/12,000 mile basic limited warranty	S	S	S	S	S			
Chassis warranty (see owners manual)								
SYSTEMS	SS	GTS	MBS	LE	TS			
Battery disconnect	S	S	S	S	S			
Water heater bypass	S	S	S	S	S			
(2) Deep cycle coach batteries (1 battery in LE and Transit)	S	S	S	S	S			
"Easy Access" battery in step-well	S	S	S	S	S			
30 Amp service with detachable cord	S	S	S	S	S			
60 Amp Progressive Dynamics converter	S	S	S	S	S			
6 Gallon DSI gas/electric water heater	S	S	S	S	-			
30,000 BTU furnace	S	S	S	S	=			
Truma Combi water heater/furnace	-	-	-	-	S			
Emergency start switch	S	S	-	S	S			
Satellite/cable connection	S	S	S	S	S			
13,500 BTU ceiling ducted roof air	S	S	S	S	S			
4.0 KW Onan Microquiet generator	S	S	-	S				
3.6 KW Onan LP generator	_	-	S	_	-			
2.5 KW Onan LP generator	-	-	_	_	S			
Automatic generator transfer switch	S	S	S	_	S			
Firestone Ride-Rite air helper springs	S	S	_	_	_			
Hellwig sway bar	_	_	S	_				
Water filtration system	S	S	S	_	S			
Heated, enclosed holding tanks and valves (N/A 2250SLE)	S	S	_	S	_			
Arctic Package (12V tank heaters)	0	0	S	0	0			
15K BTU A/C with heat pump	0	0	0	0	_			
CO <sub>2</sub> , LP and smoke detector	S	S	S	S	S			
_		_	3		_			
	<	9	C	C				
Jack digital antenna	S	S GTS	S	S	S			
EXTERIOR	ss	GTS	S MBS –	LE	TS			
EXTERIOR 2" Aluminum framed laminated sidewalls			MBS -		TS			
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls	SS S	GTS S	MBS - S	LE S	TS - S			
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate	<b>SS</b> - S	S - S	MBS - S S	S - S	TS - S -			
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass	\$ \$ - \$ \$	S - S S	MBS - S S	S - S S	TS - S - S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation	\$ 5 5 5 S	S S S S	MBS - S S S	S S S	TS - S - S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip	\$\$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S	- S S S S	S - S S	TS - S - S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S	MBS	S S S S -	TS - S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S	MBS -	S S S S S S	TS - S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S	MBS -	LE S S S S S S S S S S S S S S S S S S S	TS - S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S	MBS - S S S S S S S S S S S S S S S S S S	LE S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S	MBS -	LE S S S S S S S S S S S S S S S S S S S	TS - S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS -	LE	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S	MBS -	LE S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light	SS S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	MBS -	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS	LE	TS S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards	\$\frac{1}{5}\$\$ \$\frac	S S S S S S S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	TS S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  110V, GFI protected exterior receptacle	\$\frac{1}{5}\$\$ \$\frac	S S S S S S S S S S S S S S S S S S S	MBS	S S S S S S S S S S S S S S S S S S S	TS S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  110V, GFI protected exterior receptacle  Tinted sliding windows	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  Tinted frameless windows  Tinted frameless windows	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS	S S S S S S S S S S S S S S S S S S S	TS S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  110V, GFI protected exterior receptacle  Tinted sliding windows  Tinted frameless windows  Heated, remote exterior mirrors	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  110V, GFI protected exterior receptacle  Tinted sliding windows  Tinted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  Tinted sliding windows  Tinted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)  5,000 Lbs. hitch, 7-pin connector (Chevy/E350)	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  110V, GFI protected exterior receptacle  Tinted sliding windows  Tinted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  Tinted sliding windows  Tinted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)  5,000 Lbs. hitch, 7-pin connector (Chevy/E350)	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  110V, GFI protected exterior receptacle  Tinted sliding windows  Tinted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)  5,000 Lbs. hitch, 7-pin connector (Chevy/E350)  4,200 Lbs. hitch, 7-pin connector	\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	MBS	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Azdel Superlight composite substrate  Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Aluminum running boards  Fiberglass running boards  Fiberglass running boards  Tinted sliding windows  Tinted frameless windows  Heated, remote exterior mirrors  7.500 Lbs. hitch, 7-pin connector (Chevy/E350)  4,200 Lbs. hitch, 7-pin connector  Spare tire	\$\frac{1}{5}\$\$ \$\frac	S S S S S S S S S S S S S S S S S S S	MBS	S S S S S S S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S			

For more information please visit: www.forestriverinc.com/sunseeker	
914 CR 1 • Elkhart, In 46514 • 574,262,2212 • 800,445,2825	

	SS	GTS	MBS	LE	TS
Automatic leveling system (4-point)	0	0	-	0	-
Stabilizer jacks (2-point)	-	-	S	-	_
LP quick connect	S	S	S	-	S
Full body paint	0	0	0	-	0
Outside shower	S	S	S	-	S
Outside 12V LED TV (See floorplans)	0	-	0	-	
Black tank flush	S	S	S	-	S
CAB AREA	SS	GTS	MBS	LE	TS
7" Touch screen radio with USB and Bluetooth	S	S	S	S	-
Cab area privacy curtain	S	S	-	S	S
Magnetic privacy shades	-	-	S	-	-
Ultra leather driver and passenger seats	S	S	S		S
Power windows and door locks	S	S	S	S	S
Keyless entry (N/A Chevy)	S	S	S	S	S
Color back-up camera	S	S	S	S	S
Side view cameras	S	S	S	-	S
Removable cab mat	-	==	S	-	-
Swivel driver seat (N/A Chevy, Power)	0	0	S	-	-
Power driver seat (Ford only)	0	0	-		-
Swivel passenger seat (N/A Chevy)	0	0	S	-	-
KITCHEN	SS	GTS	MBS	LE	TS
Recessed 3-burner range with flush glass cover	S	S	S	S	-
Range hood with fan and light	S	S	S	S	-
Oven IPO drawer	-	-	0		-
Microwave oven	S	-	-	S	_
Convection microwave	0	S	S	-	S
6 Cu. ft. double door refrigerator	S	S	S	S	-
12 Cu. ft. four door refrigerator with ice maker (2860DS, 3010DS, 3050S, 3270S)	0				
5.3 Cu. ft. lightweight LP/Electric 110V Refrigerator			-		S
Raised wood refrigerator panel (N/A 12 cu. ft.)	S	S	S		_
Full extension ball bearing drawer guides	S	S	S	S	S
Flip-up countertop extension	S	S	S	S	_
BATHROOM	SS		MBS	LE	TS
Lightweight composite toilet with hand sprayer	S	S	S	S	S
Glass shower door	S	S	_	_	_
Lightweight Arcadia shower door	_	_	S	S	_
Towel bar, tissue, toothbrush and soap holder	S	S	S	_	S
Electric roof fan	S	S	S	S	
Shower head with flexible extension	S	S	S	S	
Shower skylight	S	S	S	S	
BEDROOM	SS		MBS	LE	TS
Upgraded memory foam mattress	S	S	S	S	S
Bedspread	S	S	S	S	S
Black-out roller shades	S	S	S	S	
Bedroom TV	0	0	0	3	<del>-</del>
LIVING ROOM	SS		MBS	LE	TS
	S	S	S		13
Dream dinette (N/A with U-shape dinettes)	S	3	3		_
Visionary pull out sofa (60" v 74") (2010DC)		- S	-	-	-
Visionary pull out sofa (60" x 74") (3010DS)	-		S	S	S
12V LED flat panel adjustable side TV	S		_		
12V LED flat panel adjustable side TV Child seat head tethers in dinette	S	S	S	S	
12V LED flat panel adjustable side TV Child seat head tethers in dinette Maxx Air fan in living room	S	S	S	-	S
12V LED flat panel adjustable side TV Child seat head tethers in dinette	S	S		S - S	







#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





Company 12/17

#### Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your

purchase decision. @2017 Sunseeker - a Division of Forest River, Inc. - a Berkshire Hathaway

CUSTOMER SATISFACTION



www.Forest River Buy Local.com

Your Local Sunseeker Dealer